

Product Name :
Microprocessor KF Moisture Titrator

Product Code :
ALABS-A67-072



Description :

Microprocessor K.F. Moisture Titrator

- Auto Computation of Moisture in ppm, % & mg H₂O.
- Storage of Date, Time, Batch No. and Final Results
- 8-Digit Digital Display
- Motorized Dispensing
- External Printer Attachment Facility

Specifications

Measuring Range of moisture

Measuring Method Volumetric Titration method.

High Dispensing motorized dispensing system.

Resolution of Titrant Volume

0.00 to 99.99 Titration display

Measurement (Content 100%)
(Automatic)
ppm :: (10 to 9999999)

mg H₂O : (0.00 to 999.99)

KF Titer Factor Automatic KF Titer Factor calculation facility

Visual and Audible Alarm

Dispenser Pump Calibration

Adjustable (0.1 to 99.9 seconds)

Key Board soft touch membrane type

Storage 20 samples using FIFO memory

Display bright red seven segment display.

Clock clock with date & time display

Stirrer Built Magnetic stirrer with adjustable speed.

Reservoir Bottle for KF Reagent, methanol & calcium chloride

External Serial printer interface available.

Power Supply 10% 50 Hz.

Dimension 175 mm

Accessories

Dual Platinum Electrode, Built-In Magnetic Stirrer,
250ml Bottle for Methanol, 10 Syringe, Adapter for KF Reservoir, Set of
Dispenser Tubes, Bottle Container, Dust Cover, Titration Vessel with
Teflon Cover, Teflon Coated Magnetic Stirring Capsule, 250 ml
Reservoir
Bottle for KF Solution, 250 ml bottle for Calcium Chloride, Adapter for
Methanol Reservoir Bottle, Set of Connecting Tubes, Main Lead,
Instruction Manual



Equipments Exporters

Website: www.equipmentsexporters.com, Email: sales@equipmentsexporters.com

Address: 75, Lajpat Nagar-IV, New Delhi-110024 Phone: +91-9311469084

