

Product Name :
Operating Theatre Table With Accessories**Product Code :**
ALABS-A50-038**Description :**

Operating Theatre Table With Accessories

Technical Specification :

Gear, lever and crank mechanisms are all manually operated, no gas springs

Radiolucent table top with integrated standard size x-ray cassette channels

General purpose operating table, 4 areas, 5 sections

Mattresses have welded seams, core and surface are joined

Table adjustable to all essential positions

Height adjustable with foot-pedal via hydraulic lever system

Factory filled with hydraulic oil

Stainless steel finished base on 4 castors

Central brake lowers the table onto 4 robust, height adjustable feet

Solid reinforced base creates maximum stability, with patient, up to the limits of each position

Base is fit with earth connection

Trendelenburg and reverse Trendelenburg: +/- 25 degree

Lateral tilting, both sides: +/- 20 degree

Leg area removable, consists of 2 independent sections, each adjustable to a combination of up/down and left/right

Head area removable, and independently adjustable, +20 to -90 degree

Accessories on both sides clamp on standard stainless steel medical rail

When elevated and fully extended, all sections align to perfectly flat surface

All sections fit with a mattress, detachable for easy cleaning

Three areas adjustable via manual crank: back, pelvic and legs

Backrest adjustable 5 to +90 degree

High resistance to corrosion (tropical environment)

Frame: Epoxy coated.

Table top: radiolucent epoxy resin

Base: stainless steel

Sliders/fixtures rail for accessories: Austenitic stainless steel 18/10

Mattress: welded seams rubber, highly tear resistant, anti-static, flameretardant, disinfectant- and liquid proof, washable

Caster wheel: single wheel, solid, non-hooded (for easy maintenance)

Caster frame/bracket: steel

Operating table, all areas extended:

220-224 (L) = including leg section straight. 49-52 (w) = width surface. 55-57 (w) = width with side rail. 75-79 (h) from floor to frame. 79-96 (h) from floor to surface without the mattress.

Height adjustable feet, Foot pedal: length 7-9 cm and width: 5-7cm.

Height adjustment: 63-77 to 90-110cm (h)

Mattress: 4.5-6cm (h)

Carrying capacity: minimum 150 kg



Equipments Exporters

Website: www.equipmentsexporters.com, **Email:** sales@equipmentsexporters.com

Address: 75, Lajpat Nagar-IV, New Delhi-110024 **Phone:** +91-9311469084