



Product Name:

Autoclave Horizontal Cylindrical

Product Code: CLNC-LAB0005



Description:

Autoclave Horizontal Cylindrical

Technical Specification:

Door when in operation or under pressure.

pressure is adjustable from 10 to 20 p.s.i. fitted with pressure gauze. This is a double walled unit mounted horizontally on a sturdy, heavy mild steel tubular stand duly painted . the inner wall is made up of 18 SWG stainless steel sheet duly argon arc welded.

Outer wall is of thick s.s. plate and is provided with radial locking system which ensures complete risk free and leakproof sterilization.

Safety valve and steam release valve.

Fitted with automatic pressure gauze control switch and automatic low water level cut off device.
Horizontal autoclaves are available with or without s.s. boiler for units fitted with S.S. boiler, separate valves for injecting the steam into the main chamber and releasing the steam in atmosphere after use re provided hydraulically tested up to 40 P.S.I automatic vacuum breaker is provided to break the vacuum in case of vacuum due to steam condensation.
To work on 220 volt, A.C. supply; Available in following sizes:
Dia x Depth Load
400 x 600 mm 4 K.W.
350 x 550 mm 3 K.W
550 x 750 mm 7 K.W.

Equipments Exporters

Website: www.equipmentsexporters.com, Email: sales@equipmentsexporters.com

Address: 75, Lajpat Nagar-IV, New Delhi-110024 **Phone:** +91-9311469084

