

**Product Name :**  
Electro Surgical Unit

**Product Code :**  
MED-DEV0006



**Description :**

Electro Surgical Unit

**Technical Specification :**

Microprocessor controlled generator

Output frequency 330 – 430 kHz

Mono-polar and bi-polar output

CUT mono-pola

COAG mono-polar and bi-polar

Maximum output power

CUT mono-polar up to 300 W at 500 Ohm / 200 W at 300 Ohm.

COAG mono-polar up to 120 W / 200 W

COAG bi-polar up to 50 W / 120 W

Compatible with commercial cables and electrodes

Adjustable power, with pre-set programs and user-defined procedures

Hand switch controls, at least for mono-polar

Double function foot switch for mono- and bi-polar output

Front display/control panel with working parameters and settings, alarms and errors

Power requirements 220 V / 50 Hz

Power consumption 500 – 700 W

Supplied with cart, 4 anti-static swivel castors, 2 with brakes, a drawer and storage for foot switch

Return electrode safety system (for mono-polar), with automatic monitoring of patient connection and safety generator stop in case of bad or loss of patient connection



## Equipments Exporters

**Website:** [www.equipmentsexporters.com](http://www.equipmentsexporters.com), **Email:** [sales@equipmentsexporters.com](mailto:sales@equipmentsexporters.com)

**Address:** 75, Lajpat Nagar-IV, New Delhi-110024 **Phone:** +91-9311469084