




Product Name:

Bifilar and Trifilar Suspension Apparatus

Product Code:

ALABS-A167-119



Description:

Bifilar and Trifilar Suspension Apparatus

The model permits oscillations on pendulums with bifilar or trifilar suspension to be investigated. For this purpose a bar, a cylinder, or a hollow cylinder made of galvanised steel can be hung from a wall mounted carrier plate made of aluminium and placed in oscillation. The bodies used in the experiments have strong steel hooks for attachment to the suspension cords. The length of the cords can be rapidly changed and securely fixed using clamping wheels. The beam can oscillate, by translation, in the plane of suspension like an ideal mathematical pendulum. The cylinder and the circular ring work as rotary pendulums.

Specification:

- 1. Rotary and pendulum oscillation experiments with 3 different bodies on bifilar / trifilar pendulums
- 2. Quick-action clamp for the suspension cords
- 3. Bar made of galvanised steel
- 4. Cylinder made of galvanised steel

5. Hollow cylinder made of galvanised steel
6. Suspension cord length up to 2000mm possible
Technical Data: Bars
- lxwxh: 40x40x160mm
- mass: 2kg
Cylinder
- Dxh: 160 x19mm
- mass: 3kg
Hollow cylinder
- outer diameter: 160mm
- inner diameter: 100mm
- height: 41mm
- mass: 4kg
- Cord thread length: up to 2000mm
Base plate
- wxh: 200x250mm

Address: 75, Lajpat Nagar-IV, New Delhi-110024 Phone: +91-9311469084

