

Product Name:

Air Flow Studies india

Product Code: ALABS-A104-549



Description:

Air Flow Studies

- The unit is self-contained and only requires connection to a single-phase electrical supply.
- Turbulence in the 80mm diameter test pipe is minimised by locating the pipe at the inlet of the centrifugal fan.
- A profiled bellmouth inlet prevents air-separation from the wall of the pipe at the entrance and straightening vanes suppress the formation of vortices.
- Tappings along the test pipe allow the pressure gradient to be measured with air velocity variable up to a maximum of 35m/s.
- A Pitot tube can be traversed across
 the pipe at five locations to allow boundary layer growth/development of
 velocity profile to be examined.
- Air flowrate is determined from differential pressure measurements across an orifice plate or two different inlet nozzles.
- Different bends and elboes can be fitted to allow frictional losses in fittings to be compared.

- Air jet dispersion experiments are carried out on the discharge side of the fan.
- A Pitot tube can be traversed laterally (across) and longitudinally (along) the jet to measure the changes in velocity as the jet disperses.
- All pressure measurements are performed using a bank of fourteen manometer tubes that can be inclined to increase sensitivity.
- An instruction manual is supplied that describes how to perform the air flow experiments and interpret the results, as well as how to install, commission and maintain the equipment.

_				
TAC	hni	cal D	10tai	ıe .
166		Jai L	'Clai	ıo.

Metue

20168011/16/uggaSTaPn capacity:

Pißemesocity range:

diæ8øipen

length 2.75m

diae5cmangeable nozzles:

and 80mm

thiate:500 and pripe orifice:

dieat. a Commande pipe orifice:

600 transpersie4 Cannigne

(downstream lengthxwidth):

Mar2888 etter l#220ge:



Equipments Exporters

Website: www.equipmentsexporters.com, **Email:** sales@equipmentsexporters.com **Address:** 75, Lajpat Nagar-IV, New Delhi-110024 **Phone:** +91-9311469084